

SCHEDULE X-A (AS per MSR 2016)

* Minimum essential requirements for department of Rasashastra and
Bhaishajya kalpana including teaching pharmacy

S. No.	Equipment and Instruments	Up to 60 intake capacity	61 to 100 intake capacity	Available	Deficiency
Essential					
1	Khalva Yantra-				
a)	Small	Ten		10	
b)	Medium	Ten		10	
c)	Porcelain	Ten		10	
d)	Taptakhalvyantra	Two		2	
2	Pounding Apparatus (Ulukhala Yantra)	Ten		10	
3	Putas (Different kind)	Five		5	
4	Moosha (Crucibles)	Thirty		30	
5	Koshti with Blower	Two		2	
6	Yantras				
a)	Dola Yantra	One		1	
b)	Valuka Yantra	One		1	
c)	Pithara Yantra	One		1	
d)	Bhudhara Yantra etc.	One		1	
7	Distillation Apparatus and Arka Yantra	Three		3	
8	Kupipakva Bhatti	One		1	
General					
9	Wet Grinder	One		1	
10	Mixi	One		1	
11	Juice Extractor	One		1	
12	Refrigerator	One		1	
13	Almiras and Racks for storage	Assorted		Available	
14	Balance (Different Capacities)				
a)	Physical	One		1	
b)	Chemical	One		1	
c)	Electronic Balance	One		1	
15	Heating Device-				
a)	Gas Stove	Assorted		Available	
b)	Hot plate	Assorted		Available	
c)	Chulla (Charcoal)	Assorted		Available	
16	Big Vessels and Containers-				
a)	Brass	Assorted		Available	
b)	Copper	Assorted		Available	
c)	Steel etc.	Assorted		Available	
d)	Earthen Vessels-Pots	Assorted		Available	
Miscellaneous					
17	Jars(Porcelain) Fermentation Purpose	Assorted		Available	
18	Enamel Trays	Assorted		Available	
19	Spirit Lamp	Assorted		Available	
20	Pressure Cooker	Assorted		Available	
21	Measuring Equipments Different Size (Glass)	Assorted		Available	
22	Pyrometer	Assorted		Available	
23	Thermo meter	Assorted		Available	

24	Vessels				
a)	Frying Pan	Assorted		Available	
b)	Steel Vessel	Assorted		Available	
c)	Spatula	Assorted		Available	
d)	Ladles and Spoons	Assorted		Available	
e)	Knife	Assorted		Available	
f)	Plates	Assorted		Available	
g)	Samdamsa Yantra(Tongs)	Assorted		Available	
25	Sieves (Assorted Nos. and Size)	Assorted		Available	

Dakhole
Principal

Smt Shalinita Meghe Ayurved
Medical College, Hospital &
Research Center Bhilewada